# SAFETY DATA SHEET



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

**TUFCUT** 

None

Registration number

**Synonyms** 

UDS000111AE

**Product code** Issue date

27-October-2022

Version number

2.0

**Revision date** 

04-January-2023

Supersedes date

17-November-2022

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Lubricants

Uses advised against 1.3. Details of the supplier of the safety data sheet

None known.

Company name

CRC Industries UK Ltd.

**Address** 

Wylds Road

Castlefield Industrial Estate TA6 4DD Bridgwater Somerset

United Kingdom

Telephone Fax E-mail

+44 1278 727200 +44 1278 425644 hse.uk@crcind.com

Website

www.crcind.com

Company name

CRC Industries Europe by

**Address** 

Touwslagerstraat 1

9240 Zele

Belgium

**Telephone** Fax

+32(0)52/45.60.11 +32(0)52/45.00.34 hse@crcind.com

Website

E-mail

www.crcind.com

1.4. Emergency telephone

Tel.:(+44)(0)1278 72 7200 (office hours: 9-17h GMT)

number

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

# Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Aerosols

Category 1

H222 - Extremely flammable

aerosol.

H229 - Pressurized container: May

burst if heated.

## 2.2. Label elements

Material name: TUFCUT - Ambersil - europe SDS GREAT BRITAIN

UDS000111AE Version #: 2.0 Revision date: 04-January-2023 Issue date: 27-October-2022

#### Label according to Regulation (EC) No. 1272/2008 as amended

**Hazard pictograms** 



Signal word Danger

**Hazard statements** 

H222 Extremely flammable aerosol.

H229 Pressurized container: May burst if heated.

**Precautionary statements** 

Prevention

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

Response Not assigned.

Storage

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

**Disposal** 

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information EUH208 - Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Benzenesulfonic

acid, mono-C16-24-alkyl derivs., calcium salts, calcium sulfonate.. May produce an allergic

reaction.

2.3. Other hazards This mixture does not contain substances that are assessed to be vPvB / PBT according to

Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered

to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU)

2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Benzenesulfonic acid, C10-16-alkyl derivatives, calcium salts	0 - 5	68584-23-6 271-529-4	01-2119492627-25	-	
Classification:	Skin Sens	. 1B;H317			
Benzenesulfonic acid, mono-C16-24-alkyl derivitives, calcium salts	0 - 1	70024-69-0 274-263-7	01-2119492616-28	-	
Classification:	Skin Sens	. 1;H317			
Calcium petroleum sulfonate	0 - 1	61789-86-4 263-093-9	01-2119488992-18	-	
Classification:	Skin Sens	: 1:H317			

#### List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

#### **SECTION 4: First aid measures**

General information IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware

of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact**Rinse with water. Get medical attention if irritation develops and persists. **Ingestion**In the unlikely event of swallowing contact a physician or poison control centre.

Material name: TUFCUT - Ambersil - europe

SDS GREAT BRITAIN

4.2. Most important symptoms and effects, both acute and delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

## **SECTION 5: Firefighting measures**

General fire hazards

Extremely flammable aerosol.

5.1. Extinguishing media

Suitable extinguishing

media

Not available.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture Contents under pressure. Pressurised container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Special fire fighting procedures

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapour pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Use water spray to cool unopened containers. In the event of fire and/or explosion do not breathe fumes.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Prevent product from entering drains. Scoop up used absorbent into drums or other appropriate container.

6.4. Reference to other sections

Not available.

## **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurised container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Keep away from heat, sparks and open flame. This material can accumulate static charge which may cause spark and become an ignition source. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store away from incompatible materials (see Section 10 of the SDS).

Storage class (TRGS 510): 2B (Aerosol dispensers and lighters)

7.3. Specific end use(s) Not available.

## **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Material name: TUFCUT - Ambersil - europe SDS GREAT BRITAIN Not available.

procedures

## Derived no effect levels (DNELs)

## **General population**

Components	Components		Assessment factor	Notes
Benzenesulfonic acid, C10-16-	alkyl derivative	s, calcium salts (CAS 6	8584-23-6)	
Long-term, Local, Dermal		0.513 mg/cm2	10	Skin Sensitisation
Long-term, Systemic, Inhalation		2.9 mg/m3	150	Repeated dose toxicity
Calcium petroleum sulfonate (	CAS 61789-86-	4)		
Long-term, Local, Dermal		0.513 mg/cm2	10	Skin Sensitisation
Long-term, Systemic, Inha	alation	2.9 mg/m3	150	Repeated dose toxicity
Workers				
Components		Value	Assessment factor	Notes
Benzenesulfonic acid, C10-16-	alkyl derivative	s, calcium salts (CAS 6	8584-23-6)	
Long-term, Local, Dermal		1.03 mg/cm2	5	Skin Sensitisation
Long-term, Systemic, Inhalation		11.75 mg/m3	75	Repeated dose toxicity
Calcium petroleum sulfonate (	CAS 61789-86-	4)		
Long-term, Local, Dermal		1.03 mg/cm2	5	Skin Sensitisation
Long-term, Systemic, Inhalation		11.75 mg/m3	75	Repeated dose toxicity
dicted no effect centrations (PNECs)	Not available.			
Exposure controls				
oropriate engineering strols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to			

#### Indi

dividual protection measure	s, such as personal protective equipment
General information	Use personal protective equipment as required. Personal protection equipment should be chosen

established, maintain airborne levels to an acceptable level.

according to the CEN standards and in discussion with the supplier of the personal protective

maintain airborne levels below recommended exposure limits. If exposure limits have not been

equipment.

Wear safety glasses with side shields (or goggles). Use eye protection conforming to EN 166. Eye/face protection

Skin protection

- Hand protection When handling the product wear chemical-resistant gloves (standard EN 374). The breakthrough

time of the glove should be longer than the total duration of product use. If work lasts longer than

the breakthrough time, gloves should be changed part-way through. Nitrile gloves are recommended. Suitable gloves can be recommended by the glove supplier.

- Other Wear suitable protective clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with Respiratory protection

organic vapour cartridge and full facepiece. (Filter type A)

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such Hygiene measures

as washing after handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing and protective equipment to remove contaminants.

**Environmental exposure** 

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable

levels.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

**Appearance** 

Liquid. Physical state Aerosol. **Form** Colour Brown. Odour Oil.

Not available. **Odour threshold** pН Not applicable. Not available Melting point/freezing point

UDS000111AE Version #: 2.0 Revision date: 04-January-2023 Issue date: 27-October-2022

Initial boiling point and boiling Not available.

range

Flash point > 100.0 °C (> 212.0 °F)

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits
Explosive limit - lower (%) Not available.

Explosive limit – upper

(%)

Vapour pressureNot available.Vapour densityNot available.Relative density0.96 g/cm3 20 °C

Solubility(ies)

Solubility (water) Insoluble in water

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature > 200 °C (> 392 °F)

Decomposition temperatureNot available.ViscosityNot available.Explosive propertiesNot explosive.Oxidising propertiesNot oxidising.

9.2. Other information

VOC 382 g/l

## **SECTION 10: Stability and reactivity**

**10.1. Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** Material is stable under normal conditions.

Not available.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid high temperatures.10.5. Incompatible materials Strong oxidising agents.

**10.6. Hazardous** Carbon oxides.

decomposition products

### **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

InhalationBased on available data, the classification criteria are not met.Skin contactBased on available data, the classification criteria are not met.Eye contactBased on available data, the classification criteria are not met.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.

Components Species Test Results

Benzenesulfonic acid, C10-16-alkyl derivatives, calcium salts (CAS 68584-23-6)

Acute Oral

LD50 Rat > 20000 mg/kg

Calcium petroleum sulfonate (CAS 61789-86-4)

Acute

Dermal

LD50 Rat > 4000 mg/kg

Material name: TUFCUT - Ambersil - europe SDS GREAT BRITAIN

 
 Components
 Species
 Test Results

 Oral LD50
 Rat
 > 16000 mg/kg

 Skin corrosion/irritation
 Based on available data, the classification criteria are not met.

 Serious eye damage/eye irritation
 Based on available data, the classification criteria are not met.

Respiratory sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

**Specific target organ toxicity -** Based on available single exposure

Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Not likely, due to the form of the product.

Mixture versus substance

information

Not available.

# **SECTION 12: Ecological information**

**12.1. Toxicity** Toxic to aquatic life with long lasting effects.

Components Species Test Results

Calcium petroleum sulfonate (CAS 61789-86-4)

Aquatic Acute

Fish LC50 Fish > 10000 mg/kg

12.2. Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient Not available. n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. GWP: 2

## **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Residual waste

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

**EU waste code**The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

**Disposal methods/information** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

**Special precautions**Dispose in accordance with all applicable regulations.

#### **SECTION 14: Transport information**

ADR

**14.1. UN number** UN1950

```
14.2. UN proper shipping
                                 AEROSOLS, flammable
    14.3. Transport hazard class(es)
                                 2.1
        Class
        Subsidiary risk
                                 2.1
        Label(s)
        Hazard No. (ADR)
                                 Not assigned.
        Tunnel restriction code
        ADR/RID - Classification 5F
        code:
                                 Not assigned.
    14.4. Packing group
    14.5. Environmental hazards No
    14.6. Special precautions
                                 Not assigned.
    for user
RID
    14.1. UN number
                                 UN1950
    14.2. UN proper shipping
                                 AEROSOLS, flammable
    14.3. Transport hazard class(es)
                                 2.1
        Class
        Subsidiary risk
                                 2.1
        Label(s)
    14.4. Packing group
                                 Not assigned.
    14.5. Environmental hazards No
    14.6. Special precautions
                                 Not assigned.
    for user
ADN
                                 UN1950
    14.1. UN number
    14.2. UN proper shipping
                                 AEROSOLS, flammable
    name
    14.3. Transport hazard class(es)
        Class
                                 2.1
        Subsidiary risk
                                 2.1
        Label(s)
                                 Not assigned.
    14.4. Packing group
    14.5. Environmental hazards No
    14.6. Special precautions
                                 Not assigned.
    for user
IATA
                                 UN1950
    14.1. UN number
    14.2. UN proper shipping
                                 Aerosols, flammable
    name
    14.3. Transport hazard class(es)
        Class
        Subsidiary risk
                                 Not assigned.
    14.4. Packing group
    14.5. Environmental hazards No
    ERG Code
    14.6. Special precautions
                                 Not assigned.
    for user
    Other information
        Passenger and cargo
                                 Allowed with restrictions.
        aircraft
                                 Allowed with restrictions.
        Cargo aircraft only
IMDG
    14.1. UN number
                                 UN1950
    14.2. UN proper shipping
                                 Aerosols, flammable
    14.3. Transport hazard class(es)
        Class
        Subsidiary risk
    14.4. Packing group
                                 Not assigned.
    14.5. Environmental hazards
```

Marine pollutant

No

**EmS** 14.6. Special precautions

for user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

Not assigned.

F-D, S-U

ADN; ADR; IATA; IMDG; RID



# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

#### Other regulations

Not available.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).

CAS: Chemical Abstract Service.

Ceiling: Short Term Exposure Limit Ceiling value.

Material name: TUFCUT - Ambersil - europe

UDS000111AE Version #: 2.0 Revision date: 04-January-2023 Issue date: 27-October-2022

SDS GREAT BRITAIN

CEN: European Committee for Standardization.

CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.

GWP: Global Warming Potential.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG). MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals). RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VOC: Volatile organic compounds.

vPvB: Very persistent and very bioaccumulative.

STEL: Short-term Exposure Limit.

References

Information on evaluation method leading to the classification of mixture

Not available. Not available.

Full text of any statements, which are not written out in full under sections 2 to 15

H317 May cause an allergic skin reaction.

**Revision information** 

Composition / Information on Ingredients: Component Summary Transport Information: Material Transportation Information

**GHS: Classification** 

**Training information** 

Disclaimer

Not available.

CRC Industries Europe UK Limited cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.

Material name: TUFCUT - Ambersil - europe

SDS GREAT BRITAIN